Ultramicroscopy 35 (1991) 367–369
North-Holland

Author index to volume 35

Al-Khafaji, A., see Rossouw 35 (1991) 229
Anderson, V.E., see Illman 35 (1991) 1

Bauer, R., see Frabboni 35 (1991) 265
Bonevich, J.E. and L.D. Marks, Electron radiation damage of α-alumina 35 (1991) 161
Brès, E.F., J.L. Hutchison, B. Senger, J.-C. Voegel and R.M. Frank, HREM study of irradiation damage in human dental enamel crystals 35 (1991) 305
Bullough, P.A. and P.A. Tulloch, Spot-scan imaging of microcrystals of an influenza neuraminidase–antibody fragment complex 35 (1991) 131

Camus, P.P., see Melmed 35 (1991) 277
Cattermole, D. and R. Henderson, An electronic image drift compensator for electron microscopy 35 (1991) 55
Cerva, H., see Thoma 35 (1991) 77
Cherns, D., see Rossouw 35 (1991) 229
Córdova, L., see Lamvik 35 (1991) 351

Darst, S.A., see Kubalek 35 (1991) 295
Davilla, S.D., see Lamvik 35 (1991) 351
De Blasi, C. and D. Manno, Analysis of extended defects in melt-grown GaSe single crystals by convergent beam electron diffraction techniques 35 (1991) 71
Dietz, P., P.K. Hansma, K.-H. Herrmann, O. Inacker and H.-D. Lehmann, Atomic-force microscopy of synthetic ultrafiltration membranes in air and under water 35 (1991) 155
Drucker, J., M. Krishnamurthy and G. Hembree, Biassed secondary electron imaging of monatomic surface steps on vicinal Si(100) in a UHV STEM 35 (1991) 323

Engel, A., see Stemmer 35 (1991) 255

Fedorov, A.A., see Karasev 35 (1991) 11
Ferrell, T.L., see Illman 35 (1991) 1
Frabboni, S., G. Lulli, P.G. Merli, A. Migliori and R. Bauer, Electron spectroscopic imaging of dopant precipitation and segregation in silicon 35 (1991) 265
Frank, R.M., see Brès 35 (1991) 305

Glaisher, R.W., see Rez 35 (1991) 65
Gong, H. and F.W. Schapink, Fine details in satellite HOLZ reflection discs of CBED from a GaAs/AlAs multilayer 35 (1991) 171
Gribelyuk, M.A., see Karasev 35 (1991) 11
Gutakovsky, A.K., see Karasev 35 (1991) 11

Hansma, P.K., see Dietz 35 (1991) 155
Harada, Y., see Kondo 35 (1991) 111
Hawkes, P.W., Vernon Ellis Cosslett (1908–1990) 35 (1991) 169
Hembree, G., see Drucker 35 (1991) 323
Henderson, R., C. Raeburn and G. Vigers, A side-entry cold holder for cryo-electron microscopy 35 (1991) 45
Henderson, R., see Cattermole 35 (1991) 55
Herrmann, K.-H., see Dietz 35 (1991) 155
Hirano, H., see Kondo 35 (1991) 111
Hohenstein, M., Reconstruction of the exit surface wave function from experimental HRTEM micrographs 35 (1991) 119
Hojou, K., see Kushita 35 (1991) 289
Horita, Z., T. Sano and M. Nemoto, A new form of the extrapolation method for absorption correction in quantitative X-ray microanalysis with the analytical electron microscope 35 (1991) 27
Howe, J.M., see Shieh 35 (1991) 99
Hu, J.J. and F.H. Li, Maximum entropy image deconvolution in high resolution electron microscopy 35 (1991) 339
Hutchison, J.L., see Brès 35 (1991) 305

Illman, B.L., V.E. Anderson, R.J. Warmack and T.L. Ferrell, Energy-loss profiles of transmitted electrons incident on dielectric spheroids 35 (1991) 1
Inacker, O., see Dietz 35 (1991) 155
Ishibashi, Y., see Kondo 35 (1991) 111
Isoda, S., K. Saitoh, S. Moriguchi and T. Kobayashi, Utility test of imaging plate as a high-resolution image-recording material for radiation-sensitive specimens 35 (1991) 329
Ito, J., see Tanji 35 (1991) 245

Jing, Z. and F. Sachs, Alignment of tomographic projections using an incomplete set of fiducial markers 35 (1991) 37

Elsevier Science Publishers B.V. (North-Holland)

Jordan, I.K., C.J. Rossouw and R. Vincent, Effects of energy filtering in LACBED patterns 35 (1991) 237

Kanter, Yu.O., see Karasev 35 (1991) 11
Karasev, V.Yu., N.A. Kiselev, E.V. Orlova, M.A. Gribelyuk, A.K. Gutakovsky, Yu.O. Kanter, S.M. Pintus, S.V. Rubanov, S.I. Stenin and A.A. Fedorov, HREM of epitaxial layers in the InAs/GaAs system 35 (1991) 11
Kiselev, N.A., see Karasev 35 (1991) 11
Kobayashi, K., see Kondo 35 (1991) 111
Kobayashi, T., see Isoda 35 (1991) 329
Kondo, Y., K. Ohi, Y. Ishibashi, H. Hirano, Y. Harada, K. Takayanagi, Y. Tanishiro, K. Kobayashi and K. Yagi, Design and development of an ultrahigh vacuum high-resolution transmission electron microscope 35 (1991) 111
Kornberg, R.D., see Kubalek 35 (1991) 295
Krishnamurthy, M., see Drucker 35 (1991) 323
Kubalek, E.W., R.D. Kornberg and S.A. Darst, Improved transfer of two-dimensional crystals from the air/water interface to specimen support grids for high-resolution analysis by electron microscopy 35 (1991) 295
Kushita, K.N. and K. Hojou, In situ EELS observation of graphite structure modification due to hydrogen ion irradiation 35 (1991) 289

Lamvik, M.K., A.D. Magid, S.D. Davilla and L. Córdova, Temperature directly affects the rate of irradiation-induced mass loss from phosphatidylcholine multilayers 35 (1991) 351
Lehmann, H.-D., see Dietz 35 (1991) 155
Li, F.H., see Hu 35 (1991) 339
Lulli, G., see Frabboni 35 (1991) 265

Magid, A.D., see Lamvik 35 (1991) 351
Mallett, J.F., see Ostrowski 35 (1991) 151
Manno, D., see De Blasi 35 (1991) 71
Marks, L.D., see Bonevich 35 (1991) 161
Melmed, A.J. and P.P. Camus, Composite thin-film characterization by atom probe field ion microscopy 35 (1991) 277
Merli, P.G., see Frabboni 35 (1991) 265
Migliori, A., see Frabboni 35 (1991) 265
Miller, D.J., Artifacts of specimen charging in X-ray microanalysis in the scanning electron microscope 35 (1991) 357
Moriguchi, S., see Isoda 35 (1991) 329

Nemoto, M., see Horita 35 (1991) 27

Ohi, K., see Kondo 35 (1991) 111
Orlova, E.V., see Karasev 35 (1991) 11

Ostrowski, D. and J.F. Mallett, Active compensation of ambient AC magnetic fields for high-resolution electron microscopy 35 (1991) 151

Perovic, D.D. and G.C. Weatherly, Plan-view diffraction contrast imaging of surface-relaxation effects from strained-layer superlattices 35 (1991) 271
Pintus, S.M., see Karasev 35 (1991) 11

Raeburn, C., see Henderson 35 (1991) 45
Rauf, I.A. and M.G. Walls, A comparative study of microstructure (in ITO films) and techniques (CTEM and STM) 35 (1991) 19
Reichelt, R., see Stemmer 35 (1991) 255
Rez, P. and R.W. Glaisher, Measurement of energy deposition in transmission electron microscopy 35 (1991) 65
Rivacoba, A., see Zabala 35 (1991) 145
Rossouw, C.J., A. Al-Khafaji, D. Cherns, J.W. Steeds and R. Touaitia, A treatment of dynamical diffraction for multiply layered structures 35 (1991) 229
Rossouw, C.J., see Jordan 35 (1991) 237
Rubanov, S.V., see Karasev 35 (1991) 11

Sachs, F., see Jing 35 (1991) 37
Saitoh, K., see Isoda 35 (1991) 329
Sano, T., see Horita 35 (1991) 27
Schapink, F.W., see Gong 35 (1991) 171
Senger, B., see Brès 35 (1991) 305
Shieh, P.C., C.O. Stanwood and J.M. Howe, Investigation of the atomic structure and visibility of crystal/amorphous interfaces in $Pd_{80}Si_{20}$ alloy by HRTEM image simulations 35 (1991) 99
Shih, W.C. and W.M. Stobbs, The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. I. Measurement of the average Ge/Si volume ratio 35 (1991) 197
Shih, W.C. and W.M. Stobbs, The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. II. Measurement of a layer-thickness irregularity 35 (1991) 217
Spence, J.C.H., see Zuo 35 (1991) 185
Stanwood, C.O., see Shieh 35 (1991) 99
Steeds, J.W., see Rossouw 35 (1991) 229
Stemmer, A., R. Reichelt, R. Wyss and A. Engel, Biological structures imaged in a hybrid scanning transmission electron microscope and scanning tunneling microscope 35 (1991) 255
Stenin, S.I., see Karasev 35 (1991) 11
Stobbs, W.M., see Shih 35 (1991) 197
Stobbs, W.M., see Shih 35 (1991) 217

Takayanagi, K., see Kondo 35 (1991) 111
Tanishiro, Y., see Kondo 35 (1991) 111
Tanji, T., J. Ito and K. Yada, Contrast simulation of high resolution electron holography on surface structures 35 (1991) 245
Thoma, S. and H. Cerva, The influence of non-linear interference processes on the HREM contrast of AlGaAs in ⟨100⟩ projection 35 (1991) 77
Touaitia, R., see Rossouw 35 (1991) 229
Tulloch, P.A., see Bullough 35 (1991) 131

Vigers, G., see Henderson 35 (1991) 45
Vincent, R., see Jordan 35 (1991) 237
Voegel, J.-C., see Brès 35 (1991) 305

Walls, M.G., see Rauf 35 (1991) 19
Warmack, R.J., see Illman 35 (1991) 1
Weatherly, G.C., see Perovic 35 (1991) 271
Wheeler, R., Electropolishing of polycrystalline and single-crystal $YBa_2Cu_3O_{7-\delta}$ for TEM studies 35 (1991) 59
Wyss, R., see Stemmer 35 (1991) 255

Yada, K., see Tanji 35 (1991) 245
Yagi, K., see Kondo 35 (1991) 111

Zabala, N. and A. Rivacoba, Support effects on the surface plasmon modes of small particles 35 (1991) 145
Zuo, J.M. and J.C.H. Spence, Automated structure factor refinement from convergent beam patterns 35 (1991) 185

Ultramicroscopy 35 (1991) 371–373
North-Holland

Subject index to volume 35

Analytical microscopy

A new form of the extrapolation method for absorption correction in quantitative X-ray microanalysis with the analytical electron microscope, *Horita, Sano and Nemoto* 35 (1991) 27

The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. I. Measurement of the average Ge/Si volume ratio, *Shih and Stobbs* 35 (1991) 197

The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer, II. Measurement of a layer-thickness irregularity, *Shih and Stobbs* 35 (1991) 217

Electron spectroscopic imaging of dopant precipitation and segregation in silicon, *Frabboni, Lulli, Merli, Migliori and Bauer* 35 (1991) 265

Composite thin-film characterization by atom probe field ion microscopy, *Melmed and Camus* 35 (1991) 277

Artifacts of specimen charging in X-ray microanalysis in the scanning electron microscope, *Miller* 35 (1991) 357

Conventional electron microscopy

A comparative study of microstructure (in ITO films) and techniques (CTEM and STM), *Rauf and Walls* 35 (1991) 19

Cryomicroscopy

A side-entry cold holder for cryo-electron microscopy, *Henderson, Raeburn and Vigers* 35 (1991) 45

Temperature directly affects the rate of irradiation-induced mass loss from phosphatidylcholine multilayers, *Lamvik, Magid, Davilla and Córdova* 35 (1991) 351

Detectors, photographic and other

Utility test of imaging plate as a high-resolution image-recording material for radiation-sensitive specimens, *Isoda, Saitoh, Moriguchi and Kobayashi* 35 (1991) 329

Diffraction and optical diffraction

Analysis of extended defects in melt-grown GaSe single crystals by convergent beam electron diffraction techniques, *De Blasi and Manno* 35 (1991) 71

Fine details in satellite HOLZ reflection discs of CBED from a GaAs/AlAs multilayer, *Gong and Schapink* 35 (1991 171

Automated structure factor refinement from convergent beam patterns, *Zuo and Spence* 35 (1991) 185

A treatment of dynamical diffraction for multiply layered structures, *Rossouw, Al-Khafaji, Cherns, Steeds and Touaitia* 35 (1991) 229

Effects of energy filtering in LACBED patterns, *Jordan, Rossouw and Vincent* 35 (1991) 237

Plan-view diffraction contrast imaging of surface-relaxation effects from strained-layer superlattices, *Perovic and Weatherly* 35 (1991) 271

Electron energy loss spectroscopy

Energy-loss profiles of transmitted electrons incident on dielectric spheroids, *Illman, Anderson, Warmack and Ferrell* 35 (1991) 1

Measurement of energy deposition in transmission electron microscopy, *Rez and Glaisher* 35 (1991) 65

Support effects on the surface plasmon modes of small particles, *Zabala and Rivacoba* 35 (1991) 145

Effects of energy filtering in LACBED patterns, *Jordan, Rossouw and Vincent* 35 (1991) 237

Electron spectroscopic imaging of dopant precipitation and segregation in silicon, *Frabboni, Lulli, Merli, Migliori and Bauer* 35 (1991) 265

In situ EELS observation of graphite structure modification due to hydrogen ion irradiation, *Kushita and Hojou* 35 (1991) 289

High resolution

HREM of epitaxial layers in the InAs/GaAs system, *Karasev, Kiselev, Orlova, Gribelyuk, Gutakovsky, Kanter, Pintus, Rubanov, Stenin and Fedorov* 35 (1991) 11

The influence of non-linear interference processes on the HREM contrast of AlGaAs in ⟨100⟩ projection, *Thoma and Cerva* 35 (1991) 77

Investigation of the atomic structure and visibility of crystal/amorphous interfaces in $Pd_{80}Si_{20}$ alloy by HRTEM image simulations, *Shieh, Stanwood and Howe* 35 (1991) 99

Elsevier Science Publishers B.V. (North-Holland)

Reconstruction of the exit surface wave function from experimental HRTEM micrographs, *Hohenstein* 35 (1991) 119
Improved transfer of two-dimensional crystals from the air/water interface to specimen support grids for high-resolution analysis by electron microscopy, *Kubalek, Kornberg and Darst* 35 (1991) 295
HREM study of irradiation damage in human dental enamel crystals, *Brès, Hutchison, Senger, Voegel and Frank* 35 (1991) 305
Utility test of imaging plate as a high-resolution image-recording material for radiation-sensitive specimens, *Isoda, Saitoh, Moriguchi and Kobayashi* 35 (1991) 329
Maximum entropy image deconvolution in high resolution electron microscopy, *Hu and Li* 35 (1991) 339

Image processing, 3D reconstruction
Reconstruction of the exit surface wave function from experimental HRTEM micrographs, *Hohenstein* 35 (1991) 119
Contrast simulation of high resolution electron holography on surface structures, *Tanji, Ito and Yada* 35 (1991) 245

Imaging
Spot-scan imaging of microcrystals of an influenza neuraminidase–antibody fragment complex, *Bullough and Tulloch* 35 (1991) 131
Plan-view diffraction contrast imaging of surface-relaxation effects from strained-layer superlattices, *Perovic and Weatherly* 35 (1991) 271

Instrumentation
A side-entry cold holder for cryo-electron microscopy, *Henderson, Raeburn and Vigers* 35 (1991) 45
An electronic image drift compensator for electron microscopy, *Cattermole and Henderson* 35 (1991) 55
Design and development of an ultrahigh vacuum high-resolution transmission electron microscope, *Kondo, Ohi, Ishibashi, Hirano, Harada, Takayanagi, Tanishiro, Kobayashi and Yagi* 35 (1991) 111
Active compensation of ambient AC magnetic fields for high-resolution electron microscopy, *Ostrowski and Mallett* 35 (1991) 151
Improved transfer of two-dimensional crystals from the air/water interface to specimen support grids for high-resolution analysis by electron microscopy, *Kubalek, Kornberg and Darst* 35 (1991) 295

Methods and techniques
A new form of the extrapolation method for absorption correction in quantitative X-ray microanalysis with the analytical electron microscope, *Horita, Sano and Nemoto* 35 (1991) 27
Alignment of tomographic projections using an incomplete set of fiducial markers, *Jing and Sachs* 35 (1991) 37
Spot-scan imaging of microcrystals of an influenza neuraminidase–antibody fragment complex, *Bullough and Tulloch* 35 (1991) 131
Active compensation of ambient AC magnetic fields for high-resolution electron microscopy, *Ostrowski and Mallett* 35 (1991) 151
Maximum entropy image deconvolution in high resolution electron microscopy, *Hu and Li* 35 (1991) 339

New developments
An electronic image drift compensator for electron microscopy, *Cattermole and Henderson* 35 (1991) 55
Atomic-force microscopy of synthetic ultrafiltration membranes in air and under water, *Dietz, Hansma, Herrmann, Inacker and Lehmann* 35 (1991) 155
Automated structure factor refinement from convergent beam patterns, *Zuo and Spence* 35 (1991) 185
The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. I. Measurement of the average Ge/Si volume ratio, *Shih and Stobbs* 35 (1991) 197
The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. II. Measurement of a layer-thickness irregularity, *Shih and Stobbs* 35 (1991) 217
Contrast simulation of high resolution electron holography on surface structures, *Tanji, Ito and Yada* 35 (1991) 245

Radiation damage and contamination
Electron radiation damage of α-alumina, *Bonevich and Marks* 35 (1991) 161
HREM study of irradiation damage in human dental enamel crystals, *Brès, Hutchison, Senger, Voegel and Frank* 35 (1991) 305
Utility test of imaging plate as a high-resolution image-recording material for radiation-sensitive specimens, *Isoda, Saitoh, Moriguchi and Kobayashi* 35 (1991) 329
Temperature directly affects the rate of irradiation-induced mass loss from phosphatidylcholine multilayers, *Lamvik, Magid, Davilla and Córdova* 35 (1991) 351

Scanning electron microscopy
Artifacts of specimen charging in X-ray microanalysis in the scanning electron microscope, *Miller* 35 (1991) 357

Scanning transmission electron microscopy
Biological structures imaged in a hybrid scanning transmission electron microscope and scanning tunneling microscope, *Stemmer, Reichelt, Wyss and Engel* 35 (1991) 255
Biassed secondary electron imaging of monatomic surface steps on vicinal Si(100) in a UHV STEM, *Drucker, Krishnamurthy and Hembree* 35 (1991) 323

Scanning tunneling microscopy
A comparative study of microstructure (in ITO films) and techniques (CTEM and STM), *Rauf and Walls* 35 (1991) 19
Atomic-force microscopy of synthetic ultrafiltration membranes in air and under water, *Dietz, Hansma, Herrmann, Inacker and Lehmann* 35 (1991) 155
Biological structures imaged in a hybrid scanning transmission electron microscope and scanning tunneling microscope, *Stemmer, Reichelt, Wyss and Engel* 35 (1991) 255

Specimen preparation
Electropolishing of polycrystalline and single-crystal $YBa_2Cu_3O_{7-\delta}$ for TEM studies, *Wheeler* 35 (1991) 59

Surfaces, clusters, interfaces and particles
Energy-loss profiles of transmitted electrons incident on dielectric spheroids, *Illman, Anderson, Warmack and Ferrell* 35 (1991) 1
HREM of epitaxial layers in the InAs/GaAs system, *Karasev, Kiselev, Orlova, Gribelyuk, Gutakovsky, Kanter, Pintus, Rubanov, Stenin and Fedorov* 35 (1991) 11
Investigation of the atomic structure and visibility of crystal/amorphous interfaces in $Pd_{80}Si_{20}$ alloy by HRTEM image simulations, *Shieh, Stanwood and Howe* 35 (1991) 99
Support effects on the surface plasmon modes of small particles, *Zabala and Rivacoba* 35 (1991) 145
Fine details in satellite HOLZ reflection discs of CBED from a GaAs/AlAs multilayer, *Gong and Schapink* 35 (1991) 171
The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. I. Measurement of the average Ge/Si volume ratio, *Shih and Stobbs* 35 (1991) 197
The use of the Fresnel Method for the characterisation of a short-period strained Ge/Si multilayer. II. Measurement of a layer-thickness irregularity, *Shih and Stobbs* 35 (1991) 217
A treatment of dynamical diffraction for multiply layered structures, *Rossouw, Al-Khafaji, Cherns, Steeds and Touaitia* 35 (1991) 229
Contrast simulation of high resolution electron holography on surface structures, *Tanji, Ito and Yada* 35 (1991) 245
Composite thin-film characterization by atom probe field ion microscopy, *Melmed and Camus* 35 (1991) 277
Biassed secondary electron imaging of monatomic surface steps on vicinal Si(100) in a UHV STEM, *Drucker, Krishnamurthy and Hembree* 35 (1991) 323

Abstracts / Announcements / Book reviews / Comments / Editorials / Reports
Vernon Ellis Cosslett (1908–1990), *Hawkes* 35 (1991) 169